fly 2.0.premium 1200





Model Code F5641

date of issue 02-11-21 revision 00 revision of 01-03-22 (the present replaces any previous versions)

Designer: Bernard Masson

Structure: pinewood, multilayer and plywood covered with ecological polyurethane foam wrapped with 100% polyester padding. On tilt versions only, backrests rest on a metal mechanism.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester padding.

Back Padding: backrests and lumbar supports in ecological polyurethane foam covered with 100% polyester padding.

Arm Interior: armrests in ecological polyurethane foam covered with 100% polyester padding.

Removability: not available

Sewing: leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) coverings.

Mechanisms: versions provided with armrests that can be manually lifted. "Tilt" versions are equipped with a metal mechanism that can be manually operated. The mechanism allows the backs to be moved backwards and/or forwards, to get different seat comforts. With backrests positioned backwards the seat depth lengthens by 42 cm (17"). The depth of the model with open back mechanism lengthens up to 138 cm (54").

Standard feet: the model is lifted 16 cm off the floor. Graubraun finish standard feet. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back	
1	35 Medium	24	
D - NL - CH			
USA - California	35 soft	24 soft 27 fire retardant	
GB	37 fire retardant		
Others			

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFET/ INFORMATION TECHNUCE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	√		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			~
DeLuxe			~
multi colour**			~
multi-category**			✓
multi covering**			✓

* fabrics and microfibers are not available for the U.K. market

Components / Optional vers.



Feet

PM2235 Ottoman




With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.

Technical Sheet Revision 00 Rif PR08 ST01/00



fly 2.0. premium 1200

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line