oscar.premium 1223

Model Code F5665

date of issue 26-01-22 revision 00 revision of 30-03-23 (the present replaces any previous versions)

Designer: centro studi interno

Structure: beechwood, pinewood, multilayer and plywood covered with

polyurethane foam.

Spring system: elastic webbing

Seat Padding: in ecological polyurethane foam, covered with 100%

polyester padding

Back Padding: in ecological polyurethane foam, covered with 100%

polyester padding

Arm Interior: in ecological polyurethane foam, covered with 100%

polyester padding

Removability: not available

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfibre (or fabric) covers.

Mechanisms: recliner versions available with electric metal mechanism operated by a touch button positioned on seat cushion sides. The maximum depth of the open recliner is 158 cm.

Standard feet: matt black painted metal PM2275, h.12 cm. Alternatively, it is possible to choose among the standard or "special" finishes enclosed in the sample book. Some versions may be equipped with hidden feet with a supporting structural function.





Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back
I	35 Medium	24
D - NL - CH	35 sostenuto hard	28 hard
USA - California	35 soft	24 soft
GB	37 fire retardant	31 fire retardant
Others		

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

(¹¹)Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

•			
	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			✓
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

Components / Optional vers.

	II.

Feet



PM2275



Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.




^{*} fabrics and microfibers are not available for the U.K. market

oscar. premium 1223



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).













dimensions

Description

L 102 H94 D98 SH45 SD59



L 192 H94 D98 SH45 SD59

2 1/2 seater

L 212 H94 D98 SH45 SD59

L 65 H45 D65 SH- SD-540













L 102 H94 D98 SH45 SD59

chair with



L 86 H94 D98 SH45 SD59

mini chair raf



mini chair laf



rhf el.rec.mini

L 86 H94 D98 SH45 SD59

Ihf el.rec.mini



1 right arm facing chair



L 96 H94 D98 SH45 SD59



L 96 H94 D98 SH45 SD59



elec.rec.chair

L 96 H94 D98 SH45 SD59



L 106 H94 D98 SH45 SD59

rhf maxi chair



L 106 H94 **D**98 **SH**45 **SD**59 124

Ihf maxi chair



L 106 H94 D98 SH45 SD59 612

1raf maxi chair



L 106 H94 D98 SH45 SD59

1laf maxi chair



L 64 H94 D98 SH45 SD59 small chair no



H94 D98 SH45 SD59 armless mini

chair elec.rec



L 74 H94 D98 SH45 SD59 chair without



L 74 H94 **D**98 **SH**45 **SD**59 elec.recl.armless



L 84 H94 D98 SH45 SD59

maxi chair no


fold following the dotted line



oscar. premium 1223



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).









L 150

210





dimensions Description

182 el.rec.arml.maxi

H94 D98 SH45 SD59

L 148 H94 D98 SH45 SD59

1right arm facing

L 150 H94 D98 SH45 SD59 H94 D98 SH45 SD59 220

1left arm facing 2

L 150 H94 D101 SH45 SD59

1rgt arm fac.2str













L 150 H94 D101 SH45 SD59 1lft arm fac.2str

L 170 H94 D98 SH45 SD59 1 right arm fac.2 1/2 str

L 170 H94 **D**98 **SH**45 **SD**59 left arm fac. 2 L 170 H94 D101 SH45 SD59 <u>rhf 2 1/2 seater</u>

L 170 H94 D101 SH45 SD59 Ihf 2 1/2 seater

L 190 H94 D98 SH45 SD59

1right arm facing








L 190 H94 D98 SH45 SD59 1left arm facing 3 L 190 H94 D101 SH45 SD59 lrgt arm fac.3str L 190 H94 D101 SH45 SD59 1lft arm fac.3str

L 190 H94 D158 SH45 SD119 chaise lon.rhf

L 190 H94 D158 SH45 SD1 19

L 101 H94 D101 SH45 SD59 chaise lon.lhf square corner





L 64 H32 D10 SH- SD-

271

L -H- D- SH- SD-



L 224 H94 D101 SH45 SD59 sq.cor.chr.sq.mer.

rig.fac

L 224 H94 D101 SH45 SD59

sq.cor.chr.sq.mer.le headrest cushion

L -H- D- SH- SDg07 + 043

L -H- D- SH- SD-+ 040 + 243 -

➡ fold following the dotted line ➡

